



STARSYS™



Starsys WorkCenters

Starsys WorkCenters are designed to be a fully integrated, fully adaptable, modular system. WorkCenters can be stand alone products or can be configured section within a larger product configuration. WorkCenters combine valuable lower storage areas with finished modular countertops to offer a complete storage and work area solution. Starsys WorkCenters are made up of two key components: base units and countertops. Understanding how these two elements work together is the key to understanding the Starsys WorkCenters line. While sections of Starsys WorkCenters can be configured into many physical combinations, these sections are typically divided into two categories: “straight run” or “corner” configurations.

Working Heights: Starsys WorkCenters are available in the following working heights: 30" (762mm), 33" (838mm), 36" (914mm), 39" (990mm) and 42" (1067mm). Within each working height there is up to 2.5" (64mm) of additional height adjustment via the four adjustable leveling feet in each base unit.

Starsys Base Units

Base units are the products that provide valuable lower storage areas, as well as providing the necessary support for countertops. Base units are the most critical part of a configuration with countertops. Their total combined length and placement will determine the length of the associated countertops in the design. Their placement will determine the placement and size of necessary knee wells and provide support for valuable corner work areas. All Starsys base units are available in light taupe but have the flexibility to be accented with various door & drawer handle colors. Countertop color selection and cove base color selections may be used to accent the base unit color.

System Widths: Base Units are available in Single and Double widths.

System Heights: Base Units are designed to work with the following nominal countertop heights: 30" (762mm), 33" (838mm), 36" (914mm), 39" (990mm) & 42" (1067mm).

For overhead units and accessories, see pages 163-166.


Microban® antimicrobial protection inhibits the growth of stain and odor-causing bacteria on Starsys, keeping the surface areas “cleaner between cleanings.”

Starsys Carts are built to exact customer specifications, therefore, they are non-cancelable, non-returnable.


WorkCenter Countertop Colors

- Laminate and solid surface offerings provide a variety of color options that work flawlessly with all body and pull combinations.
- More choices allow customers to choose the best fit for their specific interior needs.
- Special colors and materials are available upon request.

Solid Surface Colors



Laminate Colors



Preconfigured WorkCenters

30"



Cat. No. **SXR30WC1**



Cat. No. **SXR30WC3**



Cat. No. **SXR30WC6**

To configure a Starsys unit to your exact specifications, please visit www.metroconfigurator.com

Preconfigured WorkCenters

36"



Cat. No. **SXR36WC2**



Cat. No. **SXR36WC5**



Cat. No. **SXR36WC6**



Cat. No. **SXR36WC10**



Cat. No. **SXR36WC11**



Cat. No. **SXR36WC12**



Cat. No. **SXR36WC13**



Cat. No. **SXR36WC15**



Cat. No. **SXR36WC16**

Starsys Carts are built to exact customer specifications, therefore, they are non-cancelable, non-returnable.

Preconfigured WorkCenters

39"



Cat. No. **SXR39WC3**



Cat. No. **SXR39WC10**



Cat. No. **SXR39WC12**



Cat. No. **SXR39WC13**



Cat. No. **SXR39WC14**



Cat. No. **SXR39WC16**

To configure a Starsys unit to your exact specifications, please visit www.metroconfigurator.com



Back Wall Trim Kit



Corner Filler Kits



30° Kneewell Bracket with Pencil Drawer Option

Base Unit Trim Kits

Description	Cat. No.
Back Wall Trim Kits — 25" Deep Countertops	
Back Wall Trim Kit x 39 (all heights)	SXR39BKFLR
Back-to-Back Cabinet Trim Kits — 25" Deep Countertops	
Back to Back Filler for 30" H — 25" Countertop	SXR30BBFLR
Back to Back Filler for 33" H — 25" Countertop	SXR33BBFLR
Back to Back Filler for 36" H — 25" Countertop	SXR36BBFLR
Back to Back Filler for 39" H — 25" Countertop	SXR39BBFLR
Back to Back Filler for 42" H — 25" Countertop	SXR42BBFLR
Back Wall Trim Kits — 30" Deep Countertops	
Back Wall Trim for 30" H — 30" Countertop	SXR30BKFLR30
Back Wall Trim for 33" H — 30" Countertop	SXR33BKFLR30
Back Wall Trim for 36" H — 30" Countertop	SXR36BKFLR30
Back Wall Trim for 39" H — 30" Countertop	SXR39BKFLR30
Back Wall Trim for 42" H — 30" Countertop	SXR42BKFLR30
Back-to-Back Cabinet Trim Kits — 30" Deep Countertops	
Back to Back Filler for 30" H — 30" Countertop	SXR30BBFLR30
Back to Back Filler for 33" H — 30" Countertop	SXR33BBFLR30
Back to Back Filler for 36" H — 30" Countertop	SXR36BBFLR30
Back to Back Filler for 39" H — 30" Countertop	SXR39BBFLR30
Back to Back Filler for 42" H — 30" Countertop	SXR42BBFLR30
Unit-to-Unit Filler Kits	
Unit to Unit Filler Strip Kit (10 pieces/kit)	SXR72UUFLR
Corner Filler Kits	
45 Degree Corner Filler Strip Kit x 84	SXR84CR45FLR
90 Degree Corner Filler Strip Kit x 84	SXR84CR90FLR
Unit-to-Unit Filler Kits	
Unit to Unit Filler Strip Kit (10 pieces/kit)	SXR72UUFLR
Corner Filler Kits	
45 Degree Corner Filler Strip Kit x 84	SXR84CR45FLR
90 Degree Corner Filler Strip Kit x 84	SXR84CR90FLR

WorkCenter Base Unit Accessories

Description	Cat. No.
Kneewell Options and Accessories	
Undercounter Keyboard Tray	SXRKYBDTRY
30 Brkt Assembly Blank	SXR30BRKT
30 Brkt Assembly Keyboard Tray	SXR30BRKTKB
30 Brkt Assembly Pencil Drawer	SXR30BRKTPN
42 Brkt Assembly Blank	SXR42BRKT
42 Brkt Assembly Keyboard Tray	SXR42BRKTKB
42 Brkt Assembly Pencil Drawer	SXR42BRKTPN
Sink Valance	
Sink Valance Kit	SXRSINKVLC
Floor Mounting Kit	
Floor Mounting Kit	SXR-FLR

Starsys Carts are built to exact customer specifications, therefore, they are non-cancelable, non-returnable.



STARSYS™



StarSYS Overhead Storage Solutions: The Starsys line offers two solutions when additional wall storage is required above a WorkCenter or when overhead storage is required above a Mobile WorkCenter.

StarSYS Tambour Door Units — are not available in modular sizes, they have a fixed height, width & depth. The door, lock and bottom shelf are always included in the Tambour Door units. Accessories ship separate. Mounting hardware not included.

Height: 30" (762mm)
 Depth: 14" (356mm)
 Width: 19.5" (492mm)

Available accessories include: full depth shelves, tilt-bins, shelf bins, under-cabinet shelves, under-cabinet lighting and back filler kits. The necessary wall mount rails/hardware are included with each wall cabinet. (wall anchoring hardware is not supplied by InterMetro).

StarSYS Half-Depth Overhead Storage Units — are built on the same widths as Starsys base units utilizing very similar construction, insuring that wall cabinets align with the lower product configuration in your application. Starsys Overhead Cabinets are available as single or double width cabinets in the following interior heights:

24", 27", 30", 33", 36" [610mm, 686mm, 762mm, 838mm, 914mm] (add 2.5" [64mm] for overall exterior height).

All Starsys overhead cabinets include corrugated polymer inner panels in their assembly as well as a clean-design back panel, molded with the cosmetic side facing the inside of cabinet, creating a much cleaner appearance — especially when used without doors or in conjunction with a clear door. The necessary wall mount rails/hardware are included with each wall cabinet. (wall anchoring hardware is not supplied by InterMetro).

Microban® antimicrobial protection inhibits the growth of stain and odor-causing bacteria on Starsys, keeping the surface areas “cleaner between cleanings.”

To configure a Starsys unit to your exact specifications, please visit www.metroconfigurator.com

Overhead Wall Cabinet Shells

Solid and clear, Locking or non-locking Doors available for all wall cabinet sizes.



Single-wide shell



Double-wide shell



4 Level Cassette

Description	Dimensions Depth/Width/Height (in.)	Cat. No.
Single-Wide Shells		
24" Single Overhead Shell	14x21.5x27.5	SXRSOH24P
27" Single Overhead Shell	14x21.5x29.5	SXRSOH27P
30" Single Overhead Shell	14x21.5x32.5	SXRSOH30P
33" Single Overhead Shell	14x21.5x35.5	SXRSOH33P
36" Single Overhead Shell	14x21.5x38.5	SXRSOH36P
Double-Wide Shells		
24" Double Overhead Shell	14x41.3x27.5	SXRDOH24P
27" Double Overhead Shell	14x41.3x29.5	SXRDOH27P
30" Double Overhead Shell	14x41.3x32.5	SXRDOH30P
33" Double Overhead Shell	14x41.3x35.5	SXRDOH33P
36" Double Overhead Shell	14x41.3x38.5	SXRDOH36P
Triple-Wide Shells*		
24" Triple Overhead Shell	14x61.2x27.5	SXRTOH24P
27" Triple Overhead Shell	14x61.2x29.5	SXRTOH27P
30" Triple Overhead Shell	14x61.2x32.5	SXRTOH30P
33" Triple Overhead Shell	14x61.2x35.5	SXRTOH33P
36" Triple Overhead Shell	14x61.2x38.5	SXRTOH36P

*Triple-Wide Shells are for use with Mobile WorkCenters only.

Starsys Wall Cabinet Accessories

Description	Cat. No.
Wall Cabinet Shelving	
Single-wide Overhead Polymer Shelf	SXRSOHPS
Single-wide Overhead Wire Shelf	SXRSOHWE
Double-wide Overhead Polymer Shelf	SXRDOHPS
Double-wide Overhead Wire Shelf	SXRDOHWE
Wall Cabinet Shelf Divider Kits	
Single-wide Overhead Shelf Divider Kit (Looped Style)	SXRSOHDIV
Double-wide Overhead Shelf Divider Kit (Looped Style)	SXRDOHDIV
Single-wide Vertical Shelf Divider Kit (with (2) divider brackets & (2) vertical dividers)	SXSH-VSHFDIV
Double-wide Vertical Shelf Divider Kit (with (2) divider brackets & (2) vertical dividers)	SXDH-VSHFDIV
Extra Vertical Shelf Divider	SXHVDIV-1
Under Cabinet Lighting	
Single-wide Overhead Light (Valance and 1 Light)	SXRSOHL
Double-wide Overhead Light (Valance and 1 Light)	SXRDOHL
Triple-wide Overhead Light (Valance and 2 Lights)	SXRTOHL
Additional Overhead Light	SXROHLT
Sloped Tops — Wall Cabinets	
Single-wide Overhead Sloped Top	SXRSOHSLTOP
Double-wide Overhead Sloped Top	SXRDOHSLTOP
Filler Kits — Additional Wall Mount Rails and Covers	
49" (1245mm) Overhead Back Filler Kit	SXROHFLR-49
63" (1600mm) Mounting Rail Cover Kit	SXROHFLR-63
Additional Single-wide Wall Mount Bracket Kit (1 Pair)	SXROHWB-22
Additional Double-wide Wall Mount Bracket Kit (1 Pair)	SXROHWB-42

Starsys Carts are built to exact customer specifications, therefore, they are non-cancelable, non-returnable.

27"



Cat. No. **SXRSOH27P2C**



Cat. No. **SXRSOH27P2N**



Cat. No. **SXRSOH27P2S**



Cat. No. **SXRDOH27P2C**



Cat. No. **SXRDOH27P2N**



Cat. No. **SXRDOH27P2S**



Cat. No. **SXRDOH27W2C**

Starsys Tambour Door Overhead Cabinet and Accessories

Description	Cat. No.
Overhead Cabinet	SXROH
Overhead Light	SXROHLIGHT
Overhead Shelf Assembly	SXROHSHF
Overhead Full Width Shelf	SXRFULSHLF
Starsys Tilt-out Bin	SXRTLBIN
Overhead Filler Kit	SXROHFLR
Shelf Supply Bin — Order in Multiples of 12	MB30230B
Shelf Supply Bin — Order in Multiples of 6	MB30235B
3" (76mm) wide Cassette Bin	SXRBINSB3
4 1/2" (114mm) wide Cassette Bin	SXRBINSB4
6" (152mm) wide Cassette Bin	SXRBINSB6
8" (203mm) wide Cassette Bin	SXRBINSB8



To configure a Starsys unit to your exact specifications, please visit www.metroconfigurator.com

General Supply



SXR72TU2

SXR72TU2 includes:

Single-Wide Tall Stationary Shell with Slotted Polymer Inner Panels & Mid-Level Drawer Lock Module (Keylock/2 keys)

- (2) Polymer Shelves (No upper door)
- (2) 3" (76mm) Polymer Drawers
- (3) 6" (152mm) Polymer Drawers
- (1) 9" (229mm) Polymer Drawer

Slate Blue Drawer Pulls

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Upper Dimensions: 30"H (762mm) x 17"W (432mm) x 22"D (559mm)

Overall Dimensions: 72.5H (1842mm) x 21.5"W (54mm) x 23.4"D (594mm) (without back filler kit); 24.8"D (630mm) (with optional back filler kit)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXR72TU3

SXR72TU3 includes:

Single-Wide Tall Stationary Shell with Slotted Polymer Inner Panels (no door)

- (5) Polymer Shelves
- Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)
- Interior Upper Dimensions: 66"H (1676mm) x 17"W (432mm) x 22"D (559mm)
- Overall Dimensions: 72.5H (1842mm) x 21.5"W (54mm) x 23.4"D (594mm) (without back filler kit); 24.8"D (630mm) (with optional back filler kit)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXR72TU4

SXR72TU4 includes:

Single-Wide Tall Stationary Shell with qwikSLOT Inserts (no door)

- (2) Fixed Chrome Wire qwikSLOT Shelves
- (3) Full-Extension Chrome Wire Shelves

Outer Panels: Molded HDPE (Hi-Density Polyethylene)


Interior Dimensions: 66"H (1676mm) x 18"W (457mm) x 22"D (559mm)

Overall Dimensions: 72.5H (1842mm) x 21.5"W (54mm) x 23.4"D (594mm) (without back filler kit); 24.8"D (630mm) (with optional back filler kit)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

General Supply



SXRS72TUHD2

SXRS72TUHD2 includes:

Single-Wide Tall Stationary Shell with quikSLOT Inserts & Mid-Level Drawer Lock Module (Keylock/2 keys) (No upper door)

- (1) Back Filler Kit
 - (2) Single-Wide Fixed Chrome Wire quikSLOT Shelves
 - (2) 3" (76mm) Heavy-Duty Stainless Steel Drawers
 - (3) 6" (152mm) Heavy-Duty Stainless Steel Drawers
 - (1) 9" (229mm) Heavy-Duty Stainless Steel Drawer
- Taupe Drawer Pulls

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Upper Dimensions: 30"H (762mm) x 17"W (432mm) x 22"D (559mm)

Overall Dimensions: 72.5H (1842mm) x 21.5"W (54mm) x 23.4"D (594mm)

(without back filler kit); 24.8"D (630mm) (with back filler kit)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRS80GSTD

SXRS80GSTD includes:

Single-Wide Tall Stationary Shell with quikSLOT Inserts & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

- (4) Single-Wide Fixed Chrome Wire quikSLOT Shelves

Outer Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Dimensions: 66"H (1677mm) x 18"W (457mm) x 23"D (584mm)

Overall Dimensions: 80"H (2032mm) x 21.5"W (54mm) x 24.4"D (620mm)

Optional Recommended Accessory: Back Filler Kit (P/N: SXRBFKFLR25TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRS80HGSTD

SXRS80HGSTD includes:

Single-Wide "Half-Depth" Tall Stationary Shell with Slotted Polymer Inserts & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

- (4) Single-Wide Half-Depth Fixed Dark Taupe Epoxy-Coated Wire Shelves

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Dimensions: 66"H (1677mm) x 17"W (432mm) x 15.5"D (394mm)

Overall Dimensions: 80"H (2032mm) x 21.5"W (54mm) x 18"D (457mm)

Optional Recommended Accessory: Back Filler Kit (P/N: SXRBFKFLR18TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

General Supply



SXRD72TU2

SXRD72TU2 includes:

- Double-Wide Tall Stationary Shell with Slotted Polymer Inner Panels & (2) Mid-Level Drawer Lock Modules (Keylock/2 keys per Lock Module)
- (6) Polymer Shelves (3 behind each door)
- Left-Hinged 225° Solid Top-Locking Locking Door (Keylock/2 keys)
- Right-Hinged 225° Solid Top-Locking Locking Door (Keylock/2 keys)
- (4) 3" (76mm) Polymer Drawers
- (6) 6" (152mm) Polymer Drawers
- (2) 9" (229mm) Polymer Drawer
- Slate Blue Drawer & Door Pulls
- Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)
- Interior Upper Dimensions: 30"H (762mm) x 17"W (432mm) x 22"D (559mm)
- Overall Dimensions: 72.5H (1842mm) x 41.3"W (1049mm) x 23.4"D (594mm) (without back filler kit); 24.8"D (630mm) (with optional back filler kit)
- Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)
- (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRD72TU3

SXRD72TU3 includes:

- Double-Wide Tall Non-Locking Stationary Shell with Left-Bay Slotted Polymer Inner Panels & Right-bay qwikSLOT Inserts
- Left Bay
- (2) Polymer Shelves (behind door)
- Left-Hinged 225° Solid Non-Locking Upper Door
- Mid-Level Drawertop Shelf
- (2) 3" (76mm) Polymer Drawers
- (3) 6" (152mm) Polymer Drawers
- (1) 9" (229mm) Polymer Drawer
- Right Bay
- (2) Fixed Chrome Wire qwikSLOT Shelves
- (3) Full-Extension Chrome Wire Shelves
- Right-Hinged 225° Solid Non-Locking Tall Door
- Slate Blue Drawer & Door Pulls
- Outer Panels: Molded HDPE (Hi-Density Polyethylene)
- Interior Upper Dimensions: 30"H (762mm) x 17"W (432mm) x 22"D (559mm)
- Interior Right Bay Dimensions: 66"H (1677mm) x 17"W (432mm) x 22"D (559mm)
- Overall Dimensions: 72.5H (1842mm) x 41.3"W (1049mm) x 23.4"D (594mm) (without back filler kit); 24.8"D (630mm) (with optional back filler kit)
- Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)
- (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

General Supply




SXR72TU5

SXR72TU5 includes:
 Double-Wide Tall Stationary Shell with quikSLOT Inserts (no front center post)
 (2) Double-Wide Fixed Chrome Wire quikSLOT Shelves
 (3) Double-Wide Full-Extension Chrome Wire Shelves
 Center-Closing 225° Solid Non-Locking Tall Door Set
 Slate Blue Door Pulls
Outer Panels: Molded HDPE (Hi-Density Polyethylene)
Interior Dimensions: 66"H (1677mm) x 38"W (966mm) x 22"D (559mm)
Overall Dimensions: 72.5H (1842mm) x 41.3"W (1049mm) x 23.4"D (594mm)
 (without back filler kit); 24.8"D (630mm) (with optional back filler kit)
Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)
 (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXR72TU6

SXR72TU6 includes:
 Double-Wide Tall Stationary Shell with quikSLOT Inserts (no front center post)
 (2) Double-Wide Fixed Chrome Wire quikSLOT Shelves
 (3) Double-Wide Full-Extension Chrome Wire Shelves
 Center-Closing 225° Solid Locking Tall Door Set (Keylock/2 keys)
 Slate Blue Door Pulls
Outer Panels: Molded HDPE (Hi-Density Polyethylene)
Interior Dimensions: 66"H (1677mm) x 38"W (966mm) x 22"D (559mm)
Overall Dimensions: 72.5H (1842mm) x 41.3"W (1049mm) x 23.4"D (594mm)
 (without back filler kit); 24.8"D (630mm) (with optional back filler kit)
Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)
 (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXR72TUHD2

SXR72TUHD2 includes:
 Double-Wide Tall Stationary Shell with quikSLOT Inserts & Double-Wide Mid-Level
 Drawer Lock Module (Keylock/2 keys)
 (1) Back Filler Kit
 (3) Double-wide quikSLOT Chrome Wire Shelves (Behind upper door set)
 Center-Closing 225° Solid Top-Locking Locking Upper Door Set (Keylock/2 keys)
 Mid-Level Drawer Lock Module
 (2) 3" (76mm) Double-Wide Heavy-Duty Stainless Steel Drawers
 (3) 6" (152mm) Double-Wide Heavy-Duty Stainless Steel Drawers
 (1) 9" (229mm) Double-Wide Heavy-Duty Stainless Steel Drawer
 Taupe Drawer & Door Pulls
Outer Panels: Molded HDPE (Hi-Density Polyethylene)
Interior Upper Dimensions: 30"H (762mm) x 38"W (966mm) x 22"D (559mm)
Overall Dimensions: 72.5H (1842mm) x 41.3"W (1049mm) x 23.4"D (594mm)
 (without back filler kit); 24.8"D (630mm) (with back filler kit)
 (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

General Supply



SXRD80SGSTD

SXRD80SGSTD includes:

Double-Wide Tall Stationary Shell with quikSLOT Inserts & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

(4) Double-Wide Fixed Chrome Wire quikSLOT Shelves

Outer Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Dimensions: 66"H (1677mm) x 38"W (966mm) x 23"D (584mm)

Overall Dimensions: 80"H (2032mm) x 41.4"W (1052mm) x 25.3"D (643mm)

Optional Recommended Accessory: Back Filler Kit (P/N: SXRBKFLR25TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRD80HGSTD

SXRD80HGSTD includes:

Double-Wide "Half-Depth" Tall Stationary Shell with quikSLOT Inserts & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

(4) Double-Wide Half-Depth Fixed Dark Taupe Epoxy-Coated Wire Shelves

Outer Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Dimensions: 66"H (1677mm) x 38"W (966mm) x 15.5"D (394mm)

Overall Dimensions: 80"H (2032mm) x 41.4"W (1052mm) x 18"D (457mm)

Optional Recommended Accessory: Back Filler Kit (P/N: SXRBKFLR18TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

Catheter Storage



SXRS72SCATH1

SXRS72SCATH1 includes:
 Single-Wide Tall Stationary Shell with Slotted Polymer Inner Panels
 (1) Catheter Storage Module (Includes Catheter Shelf, (3) Catheter Slides, (15) Catheter Hooks & Labels
 Left-Hinged 225° Solid Locking Tall Door (Keylock/2 keys)
 Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)
 Interior Upper Dimensions: 66”H (1676mm) x 17”W (432mm) x 22”D (559mm)
 Overall Dimensions: 72.5H (1842mm) x 21.5”W (54mm) x 23.4”D (594mm) (without back filler kit); 24.8”D (630mm) (with optional back filler kit)
 Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)
 (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRS80SCATHTD

SXRS80SCATHTD includes:
 Single-Wide Tall Stationary Shell with Slotted Inner Panels & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)
 (1) Catheter Storage Module (Includes Catheter Shelf, (3) Catheter Slides, (15) Catheter Hooks & Labels
 (1) Polymer Shelf
 Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)
 Interior Dimensions: 66”H (1677mm) x 17”W (432mm) x 23”D (584mm)
 Overall Dimensions: 80”H (2032mm) x 21.5”W (54mm) x 24.4”D (620mm)
 Optional Recommended Accessory: Back Filler Kit (P/N: SXRBKFLR25TD)
 (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRS80HCATHTD

SXRS80HCATHTD includes:
 Single-Wide “Half-Depth” Tall Stationary Shell with Slotted Polymer Inserts & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)
 (1) Half-Depth Catheter Storage Module (Includes Half-Depth Catheter Shelf, (3) Half-Depth Catheter Slides, (15) Catheter Hooks & Labels
 (1) Half-Depth Polymer Shelf
 Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)
 Interior Dimensions: 66”H (1677mm) x 17”W (432mm) x 15.5”D (394mm)
 Overall Dimensions: 80”H (2032mm) x 21.5”W (54mm) x 18”D (457mm)
 Optional Recommended Accessory: Back Filler Kit (P/N: SXRBKFLR18TD)
 (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

Catheter Storage



SXR72SCATH1

SXR72SCATH1 includes:

Double-Wide Tall Stationary Shell with Slotted Polymer Inner Panels

Left Bay

(1) Catheter Storage Module (Includes Catheter Shelf, (3) Catheter Slides, (15) Catheter Hooks & Labels

Left-Hinged 225° Solid Locking Tall Door (Keylock/2 keys)

Right Bay

(1) Catheter Storage Module (Includes Catheter Shelf, (3) Catheter Slides, (15) Catheter Hooks & Labels

Right-Hinged 225° Solid Locking Tall Door (Keylock/2 keys)

Taupe Door Pulls

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Bay Dimensions: 66”H (1677mm) x 17”W (432mm) x 22”D (559mm)

Overall Dimensions: 72.5H (1842mm) x 41.3”W (1049mm) x 23.4”D (594mm) (without back filler kit); 24.8”D (630mm) (with optional back filler kit)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXR72SCATH2

SXR72SCATH2 includes:

Double-Wide Tall Stationary Shell with Slotted Polymer Inner Panels

Left Bay

(2) Polymer Shelves (behind door)

Left-Hinged 225° Solid Non-Locking Upper Door

Mid-Level Drawertop Shelf

(1) 3” (76mm) Polymer Drawer

(2) 6” (152mm) Polymer Drawers

(2) 9” (229mm) Polymer Drawers

Right Bay

(1) Catheter Storage Module (Includes Catheter Shelf, (3) Catheter Slides, (15) Catheter Hooks & Labels

Right-Hinged 225° Solid Locking Tall Door (Keylock/2 keys)

Taupe Drawer & Door Pulls

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)


Interior Bay Dimensions: 66”H (1677mm) x 17”W (432mm) x 22”D (559mm)

Overall Dimensions: 72.5H (1842mm) x 41.3”W (1049mm) x 23.4”D (594mm) (without back filler kit); 24.8”D (630mm) (with optional back filler kit)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

Catheter Storage



SXR80SCATHTD

SXR80SCATHTD includes:

Double-Wide Tall Stationary Shell with Slotted Inner Panels & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

(2) Catheter Storage Module (Includes (2) Catheter Shelves, (6) Catheter Slides, (30) Catheter Hooks & Labels

(2) Polymer Shelves

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Bay Dimensions: 66"H (1677mm) x 17"W (432mm) x 23"D (584mm)

Overall Dimensions: 80"H (2032mm) x 41.4"W (1052mm) x 24.4"D (620mm)

Optional Recommended Accessory: Back Filler Kit (P/N: SXRBKFLR25TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXR80HCATHTD

SXR80HCATHTD includes:

Single-Wide Half-Depth Tall Stationary Shell with Slotted Inner Panels & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

(2) Half-Depth Catheter Storage Module (Includes (2) Half-Depth Catheter Shelves, (6) Half-Depth Catheter Slides, (30) Catheter Hooks & Labels

(2) Half-Depth Polymer Shelves

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)


Interior Bay Dimensions: 66"H (1677mm) x 17"W (432mm) x 15.5"D (394mm)

Overall Dimensions: 80"H (2032mm) x 41.4"W (1052mm) x 18"D (457mm)


Optional Recommended Accessory: Back Filler Kit (P/N: SXRBKFLR18TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)


Standard Drawer Tote Specs




3" Drawer Tote



3" Drawer Tote



6" Drawer Tote



9" Drawer Tote



Weight Capacities:
 3" Tote = 25 lbs. (11.3Kg)
 6" & 9" Totes = 40 lbs. (18.1 Kg)

Heavy Duty Drawer Specs



Above: Double-Wide 3" Heavy Duty Drawer

Left: Single-Wide Heavy Duty Drawers

Inside Dimensions Metro Part #	Inches			Millimeters			Wt Capacity	
	H	W	D	H	W	D	Lbs	Kg
Single-Wide HD Drawers								
3" Heavy Duty Dwr	2.3	16.3	19.2	58	414	487	100	45.4
6" Heavy Duty Dwr	5.3	16.3	19.2	134	414	487	100	45.4
9" Heavy Duty Dwr	8.3	16.3	19.2	210	414	487	100	45.4
12" Heavy Duty Dwr	11.5	16.3	19.2	292	414	487	100	45.4
Double-Wide HD Drawers								
3" Heavy Duty Dwr	2.3	36.3	19.2	58	922	487	150	68
6" Heavy Duty Dwr	5.3	36.3	19.2	134	922	487	150	68
9" Heavy Duty Dwr	8.3	36.3	19.2	210	922	487	150	68
12" Heavy Duty Dwr	11.5	36.3	19.2	292	922	487	150	68

Construction: The drawer interior is composed of 16 and 18 gauge solid stainless steel. The drawer slides are full-extension, zinc-plated steel with chrome-plated ball bearings, and attach to qwikSLOT inserts. They have side lever releases and detents in the closed position. The slide travel distance is 20.75". The drawer front surface is composed of molded ABS polymer, colored in Metro Taupe. Snap-on handles ("pulls") attach above the top recessed area and are available in a variety of colors. Optional self-adhesive label holders positioned in the recessed area under the pulls are also offered.