

General Supply



SXR72TU2

SXR72TU2 includes:

Single-Wide Tall Stationary Shell with Slotted Polymer Inner Panels & Mid-Level Drawer Lock Module (Keylock/2 keys)

- (2) Polymer Shelves (No upper door)
- (2) 3" (76mm) Polymer Drawers
- (3) 6" (152mm) Polymer Drawers
- (1) 9" (229mm) Polymer Drawer

Slate Blue Drawer Pulls

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Upper Dimensions: 30"H (762mm) x 17"W (432mm) x 22"D (559mm)

Overall Dimensions: 72.5H (1842mm) x 21.5"W (54mm) x 23.4"D (594mm) (without back filler kit); 24.8"D (630mm) (with optional back filler kit)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXR72TU3

SXR72TU3 includes:

Single-Wide Tall Stationary Shell with Slotted Polymer Inner Panels (no door)

- (5) Polymer Shelves
- Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)
- Interior Upper Dimensions: 66"H (1676mm) x 17"W (432mm) x 22"D (559mm)
- Overall Dimensions: 72.5H (1842mm) x 21.5"W (54mm) x 23.4"D (594mm) (without back filler kit); 24.8"D (630mm) (with optional back filler kit)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXR72TU4

SXR72TU4 includes:

Single-Wide Tall Stationary Shell with qwikSLOT Inserts (no door)

- (2) Fixed Chrome Wire qwikSLOT Shelves
- (3) Full-Extension Chrome Wire Shelves

Outer Panels: Molded HDPE (Hi-Density Polyethylene)


Interior Dimensions: 66"H (1676mm) x 18"W (457mm) x 22"D (559mm)

Overall Dimensions: 72.5H (1842mm) x 21.5"W (54mm) x 23.4"D (594mm) (without back filler kit); 24.8"D (630mm) (with optional back filler kit)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

General Supply



SXRS72TUHD2

SXRS72TUHD2 includes:

Single-Wide Tall Stationary Shell with quikSLOT Inserts & Mid-Level Drawer Lock Module (Keylock/2 keys) (No upper door)

- (1) Back Filler Kit
 - (2) Single-Wide Fixed Chrome Wire quikSLOT Shelves
 - (2) 3" (76mm) Heavy-Duty Stainless Steel Drawers
 - (3) 6" (152mm) Heavy-Duty Stainless Steel Drawers
 - (1) 9" (229mm) Heavy-Duty Stainless Steel Drawer
- Taupe Drawer Pulls

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Upper Dimensions: 30"H (762mm) x 17"W (432mm) x 22"D (559mm)

Overall Dimensions: 72.5H (1842mm) x 21.5"W (54mm) x 23.4"D (594mm)

(without back filler kit); 24.8"D (630mm) (with back filler kit)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRS80GSTD

SXRS80GSTD includes:

Single-Wide Tall Stationary Shell with quikSLOT Inserts & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

- (4) Single-Wide Fixed Chrome Wire quikSLOT Shelves

Outer Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Dimensions: 66"H (1677mm) x 18"W (457mm) x 23"D (584mm)

Overall Dimensions: 80"H (2032mm) x 21.5"W (54mm) x 24.4"D (620mm)

Optional Recommended Accessory: Back Filler Kit (P/N: SXRBFKFLR25TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRS80HGSTD

SXRS80HGSTD includes:

Single-Wide "Half-Depth" Tall Stationary Shell with Slotted Polymer Inserts & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

- (4) Single-Wide Half-Depth Fixed Dark Taupe Epoxy-Coated Wire Shelves

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Dimensions: 66"H (1677mm) x 17"W (432mm) x 15.5"D (394mm)

Overall Dimensions: 80"H (2032mm) x 21.5"W (54mm) x 18"D (457mm)

Optional Recommended Accessory: Back Filler Kit (P/N: SXRBFKFLR18TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

General Supply



SXRD72TU2

SXRD72TU2 includes:

- Double-Wide Tall Stationary Shell with Slotted Polymer Inner Panels & (2) Mid-Level Drawer Lock Modules (Keylock/2 keys per Lock Module)
- (6) Polymer Shelves (3 behind each door)
- Left-Hinged 225° Solid Top-Locking Locking Door (Keylock/2 keys)
- Right-Hinged 225° Solid Top-Locking Locking Door (Keylock/2 keys)
- (4) 3" (76mm) Polymer Drawers
- (6) 6" (152mm) Polymer Drawers
- (2) 9" (229mm) Polymer Drawer
- Slate Blue Drawer & Door Pulls
- Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)
- Interior Upper Dimensions: 30"H (762mm) x 17"W (432mm) x 22"D (559mm)
- Overall Dimensions: 72.5H (1842mm) x 41.3"W (1049mm) x 23.4"D (594mm) (without back filler kit); 24.8"D (630mm) (with optional back filler kit)
- Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)
- (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRD72TU3

SXRD72TU3 includes:

- Double-Wide Tall Non-Locking Stationary Shell with Left-Bay Slotted Polymer Inner Panels & Right-bay qwikSLOT Inserts
- Left Bay
- (2) Polymer Shelves (behind door)
- Left-Hinged 225° Solid Non-Locking Upper Door
- Mid-Level Drawertop Shelf
- (2) 3" (76mm) Polymer Drawers
- (3) 6" (152mm) Polymer Drawers
- (1) 9" (229mm) Polymer Drawer
- Right Bay
- (2) Fixed Chrome Wire qwikSLOT Shelves
- (3) Full-Extension Chrome Wire Shelves
- Right-Hinged 225° Solid Non-Locking Tall Door
- Slate Blue Drawer & Door Pulls
- Outer Panels: Molded HDPE (Hi-Density Polyethylene)
- Interior Upper Dimensions: 30"H (762mm) x 17"W (432mm) x 22"D (559mm)
- Interior Right Bay Dimensions: 66"H (1677mm) x 17"W (432mm) x 22"D (559mm)
- Overall Dimensions: 72.5H (1842mm) x 41.3"W (1049mm) x 23.4"D (594mm) (without back filler kit); 24.8"D (630mm) (with optional back filler kit)
- Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)
- (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

General Supply




SXR72TU5

SXR72TU5 includes:
 Double-Wide Tall Stationary Shell with quikSLOT Inserts (no front center post)
 (2) Double-Wide Fixed Chrome Wire quikSLOT Shelves
 (3) Double-Wide Full-Extension Chrome Wire Shelves
 Center-Closing 225° Solid Non-Locking Tall Door Set
 Slate Blue Door Pulls
Outer Panels: Molded HDPE (Hi-Density Polyethylene)
Interior Dimensions: 66"H (1677mm) x 38"W (966mm) x 22"D (559mm)
Overall Dimensions: 72.5H (1842mm) x 41.3"W (1049mm) x 23.4"D (594mm)
 (without back filler kit); 24.8"D (630mm) (with optional back filler kit)
Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)
 (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXR72TU6

SXR72TU6 includes:
 Double-Wide Tall Stationary Shell with quikSLOT Inserts (no front center post)
 (2) Double-Wide Fixed Chrome Wire quikSLOT Shelves
 (3) Double-Wide Full-Extension Chrome Wire Shelves
 Center-Closing 225° Solid Locking Tall Door Set (Keylock/2 keys)
 Slate Blue Door Pulls
Outer Panels: Molded HDPE (Hi-Density Polyethylene)
Interior Dimensions: 66"H (1677mm) x 38"W (966mm) x 22"D (559mm)
Overall Dimensions: 72.5H (1842mm) x 41.3"W (1049mm) x 23.4"D (594mm)
 (without back filler kit); 24.8"D (630mm) (with optional back filler kit)
Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)
 (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXR72TUHD2

SXR72TUHD2 includes:
 Double-Wide Tall Stationary Shell with quikSLOT Inserts & Double-Wide Mid-Level
 Drawer Lock Module (Keylock/2 keys)
 (1) Back Filler Kit
 (3) Double-wide quikSLOT Chrome Wire Shelves (Behind upper door set)
 Center-Closing 225° Solid Top-Locking Locking Upper Door Set (Keylock/2 keys)
 Mid-Level Drawer Lock Module
 (2) 3" (76mm) Double-Wide Heavy-Duty Stainless Steel Drawers
 (3) 6" (152mm) Double-Wide Heavy-Duty Stainless Steel Drawers
 (1) 9" (229mm) Double-Wide Heavy-Duty Stainless Steel Drawer
 Taupe Drawer & Door Pulls
Outer Panels: Molded HDPE (Hi-Density Polyethylene)
Interior Upper Dimensions: 30"H (762mm) x 38"W (966mm) x 22"D (559mm)
Overall Dimensions: 72.5H (1842mm) x 41.3"W (1049mm) x 23.4"D (594mm)
 (without back filler kit); 24.8"D (630mm) (with back filler kit)
 (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

General Supply



SXRD80SGSTD

SXRD80SGSTD includes:

Double-Wide Tall Stationary Shell with quikSLOT Inserts & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

(4) Double-Wide Fixed Chrome Wire quikSLOT Shelves

Outer Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Dimensions: 66"H (1677mm) x 38"W (966mm) x 23"D (584mm)

Overall Dimensions: 80"H (2032mm) x 41.4"W (1052mm) x 25.3"D (643mm)

Optional Recommended Accessory: Back Filler Kit (P/N: SXRBKFLR25TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRD80HGSTD

SXRD80HGSTD includes:

Double-Wide "Half-Depth" Tall Stationary Shell with quikSLOT Inserts & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

(4) Double-Wide Half-Depth Fixed Dark Taupe Epoxy-Coated Wire Shelves

Outer Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Dimensions: 66"H (1677mm) x 38"W (966mm) x 15.5"D (394mm)

Overall Dimensions: 80"H (2032mm) x 41.4"W (1052mm) x 18"D (457mm)

Optional Recommended Accessory: Back Filler Kit (P/N: SXRBKFLR18TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

Catheter Storage



SXRS72SCATH1

SXRS72SCATH1 includes:

Single-Wide Tall Stationary Shell with Slotted Polymer Inner Panels
 (1) Catheter Storage Module (Includes Catheter Shelf, (3) Catheter Slides, (15) Catheter Hooks & Labels

Left-Hinged 225° Solid Locking Tall Door (Keylock/2 keys)

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Upper Dimensions: 66"H (1676mm) x 17"W (432mm) x 22"D (559mm)

Overall Dimensions: 72.5H (1842mm) x 21.5"W (54mm) x 23.4"D (594mm) (without back filler kit); 24.8"D (630mm) (with optional back filler kit)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRS80SCATHTD

SXRS80SCATHTD includes:

Single-Wide Tall Stationary Shell with Slotted Inner Panels & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

(1) Catheter Storage Module (Includes Catheter Shelf, (3) Catheter Slides, (15) Catheter Hooks & Labels

(1) Polymer Shelf

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Dimensions: 66"H (1677mm) x 17"W (432mm) x 23"D (584mm)

Overall Dimensions: 80"H (2032mm) x 21.5"W (54mm) x 24.4"D (620mm)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR80BKFLR25TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXRS80HCATHTD

SXRS80HCATHTD includes:

Single-Wide "Half-Depth" Tall Stationary Shell with Slotted Polymer Inserts & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)

(1) Half-Depth Catheter Storage Module (Includes Half-Depth Catheter Shelf, (3) Half-Depth Catheter Slides, (15) Catheter Hooks & Labels

(1) Half-Depth Polymer Shelf

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Dimensions: 66"H (1677mm) x 17"W (432mm) x 15.5"D (394mm)

Overall Dimensions: 80"H (2032mm) x 21.5"W (54mm) x 18"D (457mm)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR80BKFLR18TD)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

Catheter Storage



SXR72SCATH1

SXR72SCATH1 includes:

Double-Wide Tall Stationary Shell with Slotted Polymer Inner Panels

Left Bay

(1) Catheter Storage Module (Includes Catheter Shelf, (3) Catheter Slides, (15) Catheter Hooks & Labels

Left-Hinged 225° Solid Locking Tall Door (Keylock/2 keys)

Right Bay

(1) Catheter Storage Module (Includes Catheter Shelf, (3) Catheter Slides, (15) Catheter Hooks & Labels

Right-Hinged 225° Solid Locking Tall Door (Keylock/2 keys)

Taupe Door Pulls

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)

Interior Bay Dimensions: 66”H (1677mm) x 17”W (432mm) x 22”D (559mm)

Overall Dimensions: 72.5H (1842mm) x 41.3”W (1049mm) x 23.4”D (594mm) (without back filler kit); 24.8”D (630mm) (with optional back filler kit)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)



SXR72SCATH2

SXR72SCATH2 includes:

Double-Wide Tall Stationary Shell with Slotted Polymer Inner Panels

Left Bay

(2) Polymer Shelves (behind door)

Left-Hinged 225° Solid Non-Locking Upper Door

Mid-Level Drawertop Shelf

(1) 3” (76mm) Polymer Drawer

(2) 6” (152mm) Polymer Drawers

(2) 9” (229mm) Polymer Drawers

Right Bay

(1) Catheter Storage Module (Includes Catheter Shelf, (3) Catheter Slides, (15) Catheter Hooks & Labels

Right-Hinged 225° Solid Locking Tall Door (Keylock/2 keys)

Taupe Drawer & Door Pulls

Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)


Interior Bay Dimensions: 66”H (1677mm) x 17”W (432mm) x 22”D (559mm)

Overall Dimensions: 72.5H (1842mm) x 41.3”W (1049mm) x 23.4”D (594mm) (without back filler kit); 24.8”D (630mm) (with optional back filler kit)

Optional Recommended Accessory: Back Filler Kit (P/N: SXR72BKFLR)

(Note: Only (1) Back Filler Kit required for multiple units abutting each other.)

Catheter Storage



SXR80SCATHTD

SXR80SCATHTD includes:

- Double-Wide Tall Stationary Shell with Slotted Inner Panels & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)
- (2) Catheter Storage Module (Includes (2) Catheter Shelves, (6) Catheter Slides, (30) Catheter Hooks & Labels
- (2) Polymer Shelves
- Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)
- Interior Bay Dimensions: 66"H (1677mm) x 17"W (432mm) x 23"D (584mm)
- Overall Dimensions: 80"H (2032mm) x 41.4"W (1052mm) x 24.4"D (620mm)
- Optional Recommended Accessory: Back Filler Kit (P/N: SXRBKFLR25TD)
- (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)




SXR80HCATHTD


SXR80HCATHTD includes:

- Single-Wide Half-Depth Tall Stationary Shell with Slotted Inner Panels & Full-Height Pull-Down Locking Tambour Door (Keylock\2 keys)
- (2) Half-Depth Catheter Storage Module (Includes (2) Half-Depth Catheter Shelves, (6) Half-Depth Catheter Slides, (30) Catheter Hooks & Labels
- (2) Half-Depth Polymer Shelves
- Outer & Inner Panels: Molded HDPE (Hi-Density Polyethylene)
- Interior Bay Dimensions: 66"H (1677mm) x 17"W (432mm) x 15.5"D (394mm)
- Overall Dimensions: 80"H (2032mm) x 41.4"W (1052mm) x 18"D (457mm)
- Optional Recommended Accessory: Back Filler Kit (P/N: SXRBKFLR18TD)
- (Note: Only (1) Back Filler Kit required for multiple units abutting each other.)


Standard Drawer Tote Specs




3" Drawer Tote



3" Drawer Tote



6" Drawer Tote



9" Drawer Tote



Weight Capacities:
 3" Tote = 25 lbs. (11.3Kg)
 6" & 9" Totes = 40 lbs. (18.1 Kg)

Heavy Duty Drawer Specs



Above: Double-Wide 3" Heavy Duty Drawer

Left: Single-Wide Heavy Duty Drawers

Inside Dimensions Metro Part #	Inches			Millimeters			Wt Capacity	
	H	W	D	H	W	D	Lbs	Kg
Single-Wide HD Drawers								
3" Heavy Duty Dwr	2.3	16.3	19.2	58	414	487	100	45.4
6" Heavy Duty Dwr	5.3	16.3	19.2	134	414	487	100	45.4
9" Heavy Duty Dwr	8.3	16.3	19.2	210	414	487	100	45.4
12" Heavy Duty Dwr	11.5	16.3	19.2	292	414	487	100	45.4
Double-Wide HD Drawers								
3" Heavy Duty Dwr	2.3	36.3	19.2	58	922	487	150	68
6" Heavy Duty Dwr	5.3	36.3	19.2	134	922	487	150	68
9" Heavy Duty Dwr	8.3	36.3	19.2	210	922	487	150	68
12" Heavy Duty Dwr	11.5	36.3	19.2	292	922	487	150	68

Construction: The drawer interior is composed of 16 and 18 gauge solid stainless steel. The drawer slides are full-extension, zinc-plated steel with chrome-plated ball bearings, and attach to qwikSLOT inserts. They have side lever releases and detents in the closed position. The slide travel distance is 20.75". The drawer front surface is composed of molded ABS polymer, colored in Metro Taupe. Snap-on handles ("pulls") attach above the top recessed area and are available in a variety of colors. Optional self-adhesive label holders positioned in the recessed area under the pulls are also offered.