



We put space to work.

Item # _____

Job _____

Starsys® Touchpad — Advanced

Certain applications have more advanced requirements to keep supplies secure and carrying a key is simply not convenient. The Starsys advanced touchpad provides features that control more authorized users via a 4 to 14 digit user identification number or the option to scan an authorized employee badge. The touchpad is battery operated, so there is no need to have dedicated outlets, and it is backed up with a mechanical key lock should the need arise.

Starsys advanced touchpads are compatible with short (up to 48"H [1212mm]), single or double width, key locking carts.




Features include:

- 3000 unique codes to support User/Supervisor identification numbers or facility codes
- Auto-Relock timer, default 5 minutes, adjustable via software from 1 second to 18 hours, or can be disabled
- Available Access Denied lockout timer, disables touchpad for a set time after repeated unauthorized entry attempts, programmable via software (feature is disabled as factory default)
- Battery operated on six replaceable D-Cell batteries
- Expected minimum battery life of one year
- Cart audit memory retains last 15,000 access events

Optional proximity card access:

- Exclusive Facility Code Access – eliminates the need to setup and manage all individual user cards
- Low (125 kHz, standard HID) or High-Frequency (13.56 MHz HID iClass/SE/Seos) integrated card readers
- Individual Card Code Access – control access to authorized of users



Optional software management:

- LockView® 5Pro software including license for 1 server and 1 client
- USB connection from facility's computer to cart
- Facilitates faster fleet updates of user adds/deletes and audit trail info
- Required for Auto-Relock and Access Denied timer adjustments and audit trail reporting
- Provides capability for automated report generation

Description	Cat. No.
Advanced Keyless Touchpad Single Bay Locking	SXR420
Advanced Keyless Touchpad Double Bay Locking	SXR420-2
Low-Frequency (125 kHz) Proximity Card Reader	SXR430PLF [†]
High-Frequency (13.56 MHz) iClass/SE/Seos Proximity Card Reader	SXR430PHF [†]
Standard Low-Frequency (125 kHz) Proximity User Card	SXR-UPROXCRD
Standard Low-Frequency (125 kHz) Proximity Key Ring Tag	SXR-PROXTAG
LockView 5Pro Touchpad Management Software	SXR423
LockView 5 Additional Client License	SXR424

[†] Factory Installed

* Proximity card readers are compatible with most industry standard data formats. In some cases, a sample card may need to be submitted to verify compatibility. Contact your Metro representative.

All Metro Catalog Sheets are available on our website: www.metro.com



InterMetro Industries Corporation
 North Washington Street, Wilkes-Barre, PA 18705
 Product Information. U.S. and Canada: 1.800.992.1776
 Outside U.S. and Canada: www.metro.com/contactus

LO2-216
Printed in U.S.A. 9/18

Information and specifications are subject to change without notice. Please confirm at time of order.

Copyright © 2018 InterMetro Industries Corp.



Starsys® Touchpad — Advanced

46-21



We put space to work.®

Starsys® Touchpad — Advanced

LockView® 5Pro software specification for Starsys Advanced Touchpad

Lockview software is intended to be installed on a facility's computer that is capable of being mobile to allow connection via USB to an individual cart.

Minimum System Requirements:

- Windows Vista, 7, 8, 8.1, 10, Server 2008/2012 and R2 versions
- 4GB RAM - Processor 2.0 GHz or higher (8GB RAM recommended)
- 4GB Hard drive space
- SQL Server Standard, Enterprise, or SQL Express 2008/2012/2014 and R2 versions (optional, see note)
- ODBC connection required to Server (optional, see note)
- Local Administrator Rights are required to install and register the software
- .Net 4.0 Client Framework
- Minimum monitor resolution: 1024 x 768
- Signed 32 bit and 64 bit WHQL drivers
- Supports both 32 and 64 bit Operating Systems
- Compatible with VMWare

Note: LockView will create a local MS Access database, which will be sufficient for standalone usage. If multiple clients are logging into the database, an SQL Server is recommended to ensure database integrity.

Software Features:

- Includes USB connection cable
- Manages a database of authorized users and supervisors including user name, user's ID #, and user's access card number
- Manages database of supported carts and their settings
- Programmable access denied lockout feature
- Programmable auto-lock timer
- Maintains a comprehensive audit trail of cart access attempts
- eReports can be setup to automatically create and send audit trail reports to a list of email addresses daily, weekly or monthly
- Time based restrictions for access control, individual or group.
- Option to require two different credentials to gain access – i.e. card and ID number
- Alarm volume adjustment settings

Software Benefits:

- Provides more efficient management of users and cart settings from a single source
- Eliminates the redundant task or re-entering users via the touchpad on each cart
- Visibility to cart access can provide a higher level of security and minimize diversion
- Provides consistency in authorized users
- Standardizes settings across a fleet of carts

